

☼ 1895. ☼

— THE —

ANNUAL * REPORT

- - OF THE - -

Medical Officer of Health

- - FOR THE - -

* ERPINGHAM *

Rural District Council.

*Read at a Council Meeting held on
March 31st, 1896.*

HOLT, NORFOLK :

PRINTED AT ARTHUR PRESTON'S "RELIANCE" WORKS, HIGH STREET.

1896.



Digitized by the Internet Archive
in 2017 with funding from
Wellcome Library

<https://archive.org/details/b29194039>

ERPINGHAM

Rural ∴ Sanitary ∴ Authority.

VITAL STATISTICS FOR 1895.

ESTIMATED POPULATION.

For the year 1895 for the whole Erpingham Rural District at 17188, and that of the Registration Sub-districts as under, viz :—

Holt sub-district...	6583
Repps do. do.	4121
Cromer do. do.	6484

BIRTHS.

Males.	Females.		
237	258	=	495

Birth rate = 28·7 per 1000 of population.

Increase of Births over Deaths—248.

The Birth rate is slightly higher than last year.

DEATHS.

Males.	Females.		
121	126	=	247

Death Rate = 13·7 per 1000 of population.

Zymotic Death Rate = ·69 per 1000 of population.

Infantile Death Rate = 90·9 per 1000 of registered births.

The Death Rate is lower than last year, when it was 17·5 per thousand of population.

The Zymotic Death Rate is lower also.

It will be observed that the Infantile Death Rate is very much lower than last year, when it was 125·5 per thousand registered births, thus nearly a third of the total number of deaths were of children under five years. This year the total number of deaths of children under five years is nearly a fourth, thus showing a marked decrease in infantile deaths.

Deaths according to Ages and Sex—

	Males.	Females.	Total.
Under 1 year ...	30	15	= 45
1 year under 5 years	5	6	= 11
5 years „ 15 „	8	9	= 17
15 „ „ 25 „	9	6	= 15
25 „ „ 65 „	23	29	= 52
65 „ and upwards	47	60	= 107
	122	125	= 247

THE CAUSES OF DEATH.

Diabetes... .. 2	Paralysis 2
Premature Birth ... 8	Meningitis 4
Rheumatic Carditis ... 1	Bowel Disease of ... 2
Diphtheria 8	Bright's Disease ... 2
Enteric Catarrh ... 1	Glands Disease of ... 1
Spinal Disease 1	Nephritis 1
Pneumonia 10	Suicides... .. 2
Phthisis 10	Exhaustion 4
Heart Disease 11	Rheumatoid Arthritis... 1
Jaundice 1	Gastritis 1
Bronchitis 12	Drowning 2
Scarlet Fever 2	Mitral Disease 1
Tuberculosis 5	Othtruthis 1
Immaturity 4	Asthenia 9
Intestinal Obstruction ... 1	Syncope 4
Natural Causes... .. 5	Disease of Brain ... 1
Influenza 4	Syphilis 1
Atrophy of Liver ... 1	Mesenteric Disease ... 1
Deficient Vitality ... 3	Acute Septicemia ... 1
Marasmus 10	Parturition 1
Accidents 3	Ebolion of Cerebral Artery 1
Rheumatism 2	Epitheloma of Vulva ... 1

CAUSES OF DEATH, CONTINUED.

Cancer	6	Cystitis	1
Apoplexy	5	Necrosis	1
Cachexia	1	Epilepsy	2
Dropsy	1	Gastro-Enteritis	1
Diarrhœa	1	Kidney Disease	1
Cardiac Failure... ..	4	Uterine Venous Thromboris	1
Carcinoma	4	Tumour	2
Convulsions	8	Asphyxia	1
Aortic Disease	1	Asthma	1
Hemiflegia	2	Septicœmia	1
Pencarditis	1	Titanus	1
Cerebral Hœmorrhage...	3	Cerebral Inflammation	1
Typhoid Fever	2	Malmitrition	1
Biliary Obstruction	1		
Old Age	41		247
Laryngitis	1		
Not Certified	1		

PRINCIPAL CAUSES OF DEATH.

				Under 5 years.	Over 5 years.		Total.
Typhoid Fever	—	2	=	2	
Scarlet Fever	1	1	=	2
Diphtheria	2	6	=	8
Phthisis	1	9	=	10
Bronchitis, Pneumonia and Pleurisy			}	3	19	=	22
Heart Disease	1	10	=	11
Injuries	1	6	=	7
Other Causes	47	138	=	185
				56	191	=	247

ZYMOTIC DISEASE.

The number of deaths from the principal Zymotic diseases were 12.

The Zymotic death rate is .69 per 1000 of population.

The death rate is lower than it was last year, when it was 2.06 per 1000 population.

The principal causes of death were

Diphtheria	...	8
Typhoid	...	2
Scarlet Fever	...	2
		—
		12
		—



Zymotic Deaths according to Age and locality.

Registration Sub-District.	SCARLET FEVER.			DIPHTHERIA.			TYPHOID.			TOTALS.	Death rate per 1000 of population.
	Under 5 yrs.	Over 5 yrs.	Total	Under 5 yrs.	Over 5 yrs.	Total	Under 5 yrs.	Over 5 yrs.	Total		
Cromer...	1	—	= 1	0	1	= 1	—	1	= 1	3	.4
Holt	—	1	= 1	2	4	= 6	—	1	= 1	8	1.2
Repps ...	—	0	= 0	0	1	= 1	—	—	= 0	1	.24
Erping-ham Rural District	1	1	= 2	2	6	= 8	—	2	= 2	12	

DEATHS FROM ZYMOTIC DISEASE ACCORDING TO LOCALITY.

CROMER SUB-DISTRICT.

Scarlet Fever 1, Diphtheria 1, Typhoid Fever 1.

Aldborough			1	
Plumstead	1			
Sheringham Upper		1		
	<u>1</u>	<u>1</u>	<u>1</u>	Total 3

HOLT SUB-DISTRICT.

Scarlet Fever	1,	Diphtheria	6,	Typhoid	1.
Holt	1		1		
Kelling			1		
Weybourne			1		
Bodham			1		
Bayfield				1	
Hempstead			1		
Hunworth			1		
	<u>1</u>		<u>6</u>	<u>1</u>	Total 8

REPPS SUB-DISTRICT.

Diphtheria 1 case.

Trimingham	1	
	<u>1</u>	Total 1

Number of Cases under Notification of Infectious Diseases Act, 1894, was 266.

The annexed table shows the villages in which the diseases occurred.

PARISHES.				Diph- theria.	Scarlet Fever.	Erysip- elas.	Ty- phoid.	Puer- peral.	Total.
Kelling...	4	2	—	—	—	6
Sheringham	Upper	6	10	—	—	—	16
„	Lower	7	30	—	—	—	37
Baconsthorpe	—	12	—	—	1	13
Edgefield	1	4	—	—	—	5
Bodham	5	5	1	—	—	11
Hunworth	4	—	—	—	—	4
Weybourne	3	—	—	—	—	3
Thornage	—	30	—	—	—	30
Beeston	—	3	—	—	—	3
Beckham	3	4	1	—	—	8
Cley	7	3	1	—	—	11
Holt	1	49	1	1	—	52
Trunch...	—	—	1	—	—	1
Briston	—	1	—	—	—	1
Mundesley	—	—	1	—	—	1
Bayfield	—	6	—	1	—	7
Letheringsett	—	3	—	1	—	4
Runton	—	4	—	—	—	4
Roughton	—	11	—	1	—	12
Stody	—	3	—	—	—	3
Gimingham	—	—	1	—	—	1
Felbrigg	—	3	—	—	—	3
Antingham	—	—	1	—	—	1
Plumstead	—	2	1	—	—	3
Aldborough	—	—	—	1	—	1
Repps North	—	4	—	3	—	7
Cromer	—	2	—	—	—	2
Suffield	—	12	—	—	—	12
Knapton	—	1	—	—	—	1
Trimingham	1	—	—	—	—	1
Hempstead	2	—	—	—	—	2
				44	204	9	8	1	266

During the year the cases of Zymotic Disease have been less than in 1894, when they amounted to a total of 376.

It is satisfactory to note that the death rate generally, and also the Zymotic death rate, are much lower than last year. I think this must be attributed to the energy and wise measures taken by the late Medical Officer of Health. As might be expected the largest number of deaths were due to diseases of the respiratory organs. Those classed as Pneumonia, Bronchitis, and Pleurisy amounting to 22, and Phthisis 10. These made a total of 33, as compared with 59 in 1894. I believe this more favourable result may, in a great measure, be due to improved hygienic conditions in the district.

The deaths from Zymotic disease shew also a considerable decrease; 8 instead of 28 from Diphtheria, and 2 instead of 7 from Scarlet Fever. With regard to this disease I notice that, in the report for 1894, attention is drawn to the difficulty of preventing its spreading. Also the Annual Report of the Medical Officer of Health for Norwich is quoted as shewing among a very large number of people there is a chronic indisposition to regard a person suffering from Scarlet Fever as remaining in an infectious state for weeks together, (as the said person undoubtedly does, which is the great reason for isolating him); this disinclination being fostered by the unfortunate habit of describing the less severe attacks of Scarlet Fever as "Scarlatina." The people will persist in regarding these names as signifying different ailments and not the same disorder. Dr. Cooper Patten goes on to emphasise the fact that "some small precautionary measures they will adopt when the disease is called "Scarlet Fever"; they seem to consider themselves entitled to dispense with all precautions whenever the identical disease happens to be called "Scarlatina" and yet it just these milder attacks of this catchable fever which are from a public health standpoint, the most dangerous because they are the most neglected." However in spite of this most emphatic protest the word "Scarlatina" remains on the notification forms in this district, and I take this opportunity of suggesting that the word be crossed out of all forms

in future supplied to medical men, and that when fresh forms are printed it be omitted altogether.

I think that great benefit has been derived from the system of sending post-cards to schoolmasters immediately on receipt of notice of either Scarlet Fever or Diphtheria, so that all children in the same and neighbouring houses may be excluded until such time as they are safe to return to school.

The number of cases of Scarlet Fever notified has been 204 as compared with 276 in 1894.

I would like to suggest that where a few cases have occurred in a vilage that has been for a long time free from Scarlet Fever, the schoolmasters should carefully watch for any symptoms in their pupils of extra dullness and inability to attend to their lessons, with flushed face and shivering; that these pupils be at once sent home and medical advice procured. In this way I believe it is possible that epidemics may be nipped in the bud.

The localities where Scarlet Fever has been most rife are

Holt, 49 cases; Upper and Lower Sheringham, 40 cases; Thornage, 30 cases; Baconsthorpe and Suffield, 12 cases each; and Roughton 11 cases. The number of cases of Diphtheria notified has been 44, as compared with 93 in 1894, they were distributed as follows: Kelling, 4 cases; Upper Sheringham, 6; Lower Sheringham, 7; Edgefield, 1; Bodham, 5; Hunworth, 4; Weybourne, 3; Beckham, 3; Cley, 7; Holt, 1; Trimingham, 1; Hempstead, 2. In every case where the drinking water is supplied from a well, I think an analysis is necessary, and the importance of this has lately been shewn by the result of the analysis of water from a well at Briston, supplying a row of cottages where cases of diphtheria had occurred, and which was found to be much contaminated by sewage and urine. I hope increased attention will be given to the emptying of bins and the removal of rubbish with a view to keeping this most deadly disease in check. Although it is evident that Diphtheria is endermic in the Erpingham as in most Districts in this country, I am convinced that it can be prevented from developing to any great extent by constant watchfulness and prompt measures on its first appear-

ance in any locality. I trust also that that the Sanitary Committee will endeavour as much as possible to improve the accommodation in the shape of privies and closets, I have found groups of cottages most wretchedly provided for, so much so that decency is almost impossible. I think we ought to consider moral as well as physical hygiene.

I wish to endorse the recommendation of the late Medical Officer of Health with regard to the provision of an Infectious Disease Hospital, and the necessity for which he so well describes. I shall be pleased to supply any information in my power as to the working of the Norwich Infectious Hospital if the Council should at any time desire it. I fear not much improvement can be made in the ventilation of schools as suggested in the quotation from Dr. Cooper Patten's report without considerable outlay, but I believe that much can be accomplished in this direction by the individual carefulness and intelligence of the teachers, by the provision of tobin tubes where necessary, and by openings into chimneys for the removal of foul air from the upper part of the rooms.

The schools have been closed for *infectious disease* inspection at Matlaske, Suffield, Gunton, Roughton Heath.

In conclusion I desire to express my regret that the report has been so long delayed, and my hope that the Council will take into consideration the difficulties I have had to contend with.



REPORT

BY THE

SANITARY INSPECTOR

FOR THE

Erpingham Rural District Council.

—:0:0:—

During the year 1895 the following is the principal sanitary work carried out, and nuisances abated :—

3	cases, Overcrowding
7	„ Manure removed
22	„ New closets constructed
7	„ Closets converted
5	„ „ removed
3	„ „ repaired
8	„ „ cleansed
4	„ „ water laid on to
2	„ Filthy houses
2	„ Filthy yards
2	„ Bins removed
4	„ „ emptied
6	„ Pig nuisance
26	„ Drainage improvements
2	„ New wells
4	„ Wells cleansed
3	„ Water supply improved

To carry out the above mentioned work

165 letters were written
 35 notices served for nuisances
 3 ,, for overcrowding
 2 ,, for filthy houses
 40 1st ,, for water supply
 17 2nd ,, for water supply
 2 prosecutions

WATER SUPPLY.

Again this year the wells in the district have felt the effects of the dry weather. Two new wells have been sunk, one at Overstrand and the other at East Beckham, where the occupiers had only the stream for all purposes. Several more wells are now in course of construction.

Five samples of water were taken for analysis, one at the source of the Kelling stream which was found to be excellent, and another at the lower end which was found polluted. Samples were also taken from Roughton, Northrepps and Aldborough (by reason of typhoid outbreaks) which were found to be more or less polluted.

OVER-CROWDING.

Three cases have had my attention, notices were served accordingly and the nuisances abated.

DRAINAGE WORKS.

I am glad to say the much needed Sheringham drainage is at last in course of construction, as is also the East Runton. The Overstrand drainage is completed. At Weybourne the drain by the roadside much requires to be done before the Summer commences.

INFECTIOUS DISEASE.


I have visited no less than 135 cases of infectious disease during the year, disinfectants were left where required, full instructions given for the isolation of patient, and disinfection of house, clothing, &c., the children kept from school, and any apparent sanitary defects remedied where practicable.

The schools, which have been closed by reason of disease, have been visited and disinfected again before re-opening. Various slaughter-houses and dairies have been inspected and in two cases improvements carried out. Two prosecutions were taken, and magistrates order obtained for nuisance to be abated.

A quantity of minor nuisances have also been dealt with.

A. G. LING.

MARCH 31ST, 1896.



CROMER

REGISTRATION † SUB-DISTRICT.

—:0:—:0:—

	Males	Females	Totals
Births.....	86	103	189

Birth rate 29·1 per 1000 of population.

Increase of Births over Deaths 84.

	Males	Females	Totals
Deaths	55	50	105

Death Rate 16·2 per 1000 of population.

Zymotic Death Rate... ·4 per 1000 of population.

Infantile Death Rate... 95·2 per 1000 of registered Births.

DEATHS ACCORDING TO SEX AND AGES.

			Males	Females	Totals
Under 1 year	...		14	4	18
1 year and under 5 years			3	1	4
5 years	„	15	3	—	3
15	„	25	5	2	7
25	„	65	9	19	28
65 and upwards			21	24	45
			55	50	105

DEATHS ACCORDING TO LOCALITY AND SEX.

					Males	Females	Totals
Roughton	2	8	10
Overstrand	5	4	9
Gresham	1	2	3
Baconsthorpe	2	3	5
Barningham	Winter	3	—	3
Sheringham	Lower	9	7	16
Ditto	Upper	1	4	5
Aylmerton	3	1	4
Runton	3	4	7
Aldborough	6	1	7
Thurgarton	1	2	3
The Workhouse	10	5	15
Sustead	1	1	2
Matlask...	1	2	3
Bessingham	2	3	5
Felbrigg	—	1	1
Barningham	Northwood	1	—	1
Beeston Regis	1	2	3
Plumstead	1	—	1
Beckham West	1	—	1
Hanworth	1	—	1
					55	50	105

The causes of death were as follows :—

			Under 5 yrs.	Over 5 yrs.	Totals
Scarlet Fever	1	—	1
Diphtheria	—	1	1
Typhoid Fever	—	1	1
Phthisis...	1	1	2
Bronchitis, Pneumonia, and Pleurisy	1	4	5
Heart Disease	—	1	1
Injuries	—	2	2
Other diseases	19	73	92
			22	83	105

CROMER SUB-DISTRICT.

ZYMOTIC DISEASE.

The Number of Cases Notified as under, viz.:—

	DEATHS.			Diph- theria.	Scarlet Fever.	Typhoid.	Ery- sipelas.	Puerperal Fever.	Shering- ham Upper	Diph- theria.	Scarlet Fever.	Typhoid
Sheringham Upper ...	6	10										
Sheringham Lower ...	7	30						1		1		
Baconsthorpe		12										
Beeston		3										
Beckham	3	4					1					
West Runton		4										
Roughton		11	1									
Felbrigg		3										
Plumstead		2	1				1		Plumstead Aldbrough		1	1
Aldbrough		2										
Cromer												
	16	81	2	2	2		2	1		1	1	1

Total of Notified Diseases ... 102

Deaths ... 3

CROMER SUB-DISTRICT. DEATHS, 1895.

	under 12 mths.		1 under 5 yrs.		5 yrs. under 15 yrs.		15 yrs. under 25 yrs.		25 yrs. under 65 yrs.		65 yrs. up-wards.	TOTALS.		BIRTHS.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
SEX	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
JANUARY ...	3	2	1	—	—	—	1	1	—	1	—	3	5	7	12	4	8	12
FEBRUARY	—	—	—	—	—	—	—	—	1	2	3	1	4	3	7	9	13	22
MARCH	3	—	—	1	—	—	—	—	1	—	—	1	5	7	12	5	5	10
APRIL	1	2	—	—	2	—	—	1	2	—	—	1	6	6	12	5	12	17
MAY	1	—	—	—	—	—	2	—	—	3	2	—	6	5	11	8	8	16
JUNE	1	—	—	—	1	—	—	—	—	—	—	1	3	2	5	4	9	13
JULY	—	—	—	—	—	—	—	—	—	2	2	—	2	2	4	8	14	22
AUGUST	1	—	1	—	—	—	1	—	—	—	—	2	5	1	6	8	6	14
SEPT.	2	—	1	—	—	—	—	—	2	3	1	2	6	5	11	11	3	14
OCTOBER, ...	—	—	—	—	—	—	—	—	1	4	1	—	2	4	6	9	12	21
NOVEMBER	—	—	—	—	—	—	—	—	1	3	3	3	4	6	10	7	6	13
DECEMBER	2	—	—	—	—	—	1	—	1	1	3	1	7	2	9	8	7	15
	14	43	1	3	—	5	2	9	19	21	24	—	55	50	105	86	103	189

Estimated Population for 1895 6484.

HOLT

REGISTRATION † SUB-DISTRICT.

—:O:—:O:—

	Males	Females	Totals
Births.....	104	94	198

Birth rate 30·08 per 1000 of population.

Increase of Births over Deaths 113.

	Males	Females	Totals
Deaths	34	51	85

Death Rate 12·9 per 1000 of population.

Zymotic Death Rate... 1·2 per 1000 of population.

Infantile Death Rate... 80·8 per 1000 of registered Births.

DEATHS ACCORDING TO SEX AND AGES.

			Males	Females	Totals
Under 1 year	...		7	9	16
1 year and under 5 years			1	2	3
5 years	„	15 „	2	6	8
15 „	„	25 „	4	4	8
25 „	„	65 „	4	8	12
65 and upwards			16	22	38
			34	51	85

DEATHS ACCORDING TO LOCALITY AND SEX.

					Males	Females	Totals
Bodham...	6	3	9
Weybourne	—	1	1
Kelling	2	1	3
Salthouse	3	1	4
Cley	3	6	9
Glandford	—	1	1
Letheringsett	1	1	2
Holt	5	21	26
Hempstead	—	1	1
Edgefield	—	4	4
Hunworth	2	3	5
Thornage	3	3	6
Briston	8	5	13
Bayfield...	1	—	1
					34	51	85

The causes of death were as follows :—

			Under 5 yrs.	Over 5 yrs.	Totals
Scarlet Fever	—	1	1
Diphtheria	2	4	6
Typhoid Fever	—	1	1
Diarrhœa and Dysentery			—	1	1
Phthisis...	—	6	6
Bronchitis, Pneumonia, and Pleurisy	...		1	5	6
Heart Disease	—	6	6
Influenza	—	2	2
Injuries	—	2	2
Other diseases	16	38	54
			19	66	85

HOLT SUB-DISTRICT.

ZYMOTIC DISEASES.

The Number of Cases Notified as under, viz.:—

	DEATHS.			Ery- sipelas.	Hunworth Kelling Bodham Weybourne Thornage Cley Holt Briston Letheringsett Stody Hempstead Bayfield	Diph- theria.	Scarlet Fever.	Typhoid
	Diph- theria.	Scarlet Fever.	Typhoid.					
Hunworth	4					1		
Kelling... ..	4	2				1		
Edgefield	1	4		1				
Bodham	5	5				1		
Weybourne	3					1		
Thornage		30				1	1	
Cley	7	3		1		1		
Holt	1	49	1	1		1		1
Briston		1						
Letheringsett		3	1					
Stody		3						
Hempstead	2	6	1					
Bayfield								
	27	106	3	3		6	1	1

Total of Notifications 139
 " Deaths 8

HOLT SUB-DISTRICT. DEATHS, 1895.

	under 12 mths.		1 under 5 yrs.		5 yrs. under 15 yrs.		15 yrs. under 25 yrs.		25 yrs. under 65 yrs.		65 yrs. upwards.		TOTALS.		BIRTHS.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
JANUARY ...	—	2	1	—	—	—	1	—	—	—	2	1	5	6	10	9
FEBRUARY	1	1	—	—	1	1	1	—	2	2	5	5	10	7	7	
MARCH	1	1	—	—	2	1	—	—	3	2	5	5	10	8	4	
APRIL	1	—	—	—	—	—	1	—	3	—	5	—	5	8	9	
MAY	—	1	—	—	1	—	1	3	1	1	2	6	8	11	13	
JUNE	—	2	—	—	—	—	—	—	1	1	1	3	4	8	10	
JULY	—	—	1	—	1	—	1	1	1	2	2	5	7	10	4	
AUGUST	—	—	—	1	—	3	—	—	1	6	2	9	11	11	11	
SEPT.	—	—	—	—	1	—	—	—	—	—	1	—	1	4	2	
OCTOBER ...	1	—	—	—	—	1	—	1	2	3	4	5	9	10	10	
NOVEMBER	1	1	—	—	1	—	—	—	1	1	3	2	5	} 17 15 32		
DECEMBER	2	1	—	1	—	—	—	2	1	2	3	6	9			
	7	9	1	2	2	6	3	5	7	16	34	51	85	104	94	198

Estimated Population for 1895 6583.

REPPS

REGISTRATION † SUB-DISTRICT.

—:0:—:0:—

	Males	Females	Totals
Births.....	47	61	108

Birth rate 26·2 per 1000 of population.

Increase of Births over Deaths, 51.

	Males	Females	Totals
Deaths	32	25	57

Death rate 13·8 per 1000 of population.

Zymotic Death Rate ·24 per 1000 of population.

Infantile Death Rate, 101·8 per 1000 registered Births.

DEATHS ACCORDING TO SEX AND AGES.

			Males	Females	Totals
Under 1 year	...		9	2	11
1 year and under 5 years			1	3	4
5 years	„	15	3	3	6
15	„	25	—	1	1
25	„	65	10	2	12
65	„	and upwards	9	14	23
			32	25	57

DEATHS ACCORDING TO LOCALITY AND SEX.

					Males	Females	Totals
Thorpe Market		3	—	3
Repps North...		4	4	8
Repps South...		10	8	18
Gimingham		4	4	8
Trunch		5	3	8
Trimingham...		1	1	2
Knapton		1	1	2
Suffield		—	1	1
Mundesley		2	2	4
Sidestrand		1	—	1
Antringham		1	1	2
					32	25	57

The causes of death were as follows:—

			Under 5 yrs.	Over 5 yrs.	Totals
Diphtheria	—	1	1
Phthisis	—	2	2
Bronchitis, Pneumonia, and Pleurisy		...	1	10	11
Heart disease	1	3	4
Influenza	—	2	2
Injuries...	1	2	3
Other diseases	12	22	34
			15	42	57

REPPS SUB-DISTRICT.

The Cases Notified were as under:—

	Diph- theria.	Scarlet Fever.	Typhoid.	Ery- sipelas.	Deaths.
Trunch				1	Diph- theria. 1
Mundesley				1	
Gimmingham				1	
Antringham ..				1	
Northrepps ...		4	3		
Suffield.....		12			
Knapton		1			
Trimingham ..	1				
	1	17	3	4	1

Total of Notifications... .. 25

“ Deaths 1

REPPS SUB-DISTRICT. DEATHS, 1895.

	Under 12 Mths.		1 year under 5 yrs.		5 yrs. under 15 yrs.		15 yrs. under 25 yrs.		25 yrs. under 65 yrs.		65 yrs. up-wards.	TOTALS.		BIRTHS.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
JANUARY ...	—	—	—	1	—	—	—	—	—	—	3	—	4	4	3	8	11
FEBRUARY	2	—	—	—	—	—	—	1	—	—	—	4	2	6	6	2	8
MARCH	—	—	—	1	—	—	—	—	—	—	2	4	3	7	3	—	3
APRIL	2	—	—	1	—	—	—	—	—	—	—	2	4	6	3	6	9
MAY	2	1	—	—	—	—	—	—	—	—	1	3	1	4	3	11	14
JUNE	1	—	—	—	—	—	—	3	—	—	4	8	1	9	5	7	12
JULY	—	—	—	—	—	—	—	1	—	—	2	3	2	5	3	6	9
AUGUST	1	1	—	—	—	—	—	—	—	—	—	1	1	2	4	5	9
SEPTEMBER	—	—	—	—	—	—	—	—	—	—	—	—	1	1	5	6	11
OCTOBER ...	—	—	—	—	—	—	—	2	—	—	—	2	2	4	2	2	4
NOVEMBER	1	—	—	—	—	—	—	—	—	1	—	1	2	3	8	5	13
DECEMBER	—	—	—	1	—	—	—	3	1	—	—	4	2	6	2	3	5
	9	2	—	4	3	—	1	10	2	9	14	32	25	57	47	61	108

Estimated population for 1895 4121.

F. W. Richardson,
MEDICAL OFFICER OF HEALTH.

